



www.santos.fr



Automatic Citrus Juicer With Lever # 10

The genuine commercial citrus
juicer since 1954

Ideal for hotels, bars,
restaurants.



10C (Chromed model)



Removable
perforated strainer
for centrifugal
squeezing.

Internationally Patented Models



Since 1954

Automatic Citrus



The real commercial juicer, built to last, with a heavy duty and quiet asynchronous motor, for use everywhere you need a fresh squeezed citrus juice: Juice Bars, Health Food Stores, Hotels, Bars, Restaurants, Cafeterias, Ice Cream shops, Institutions, Hospitals and even... at Home.

High output : just cut your citrus half and press. You will easily extract 20 to 40 litres per hour (5 to 10 gallons).

Removable perforated strainer
stainless steel



Stainless steel cup

Stainless steel bowl

Wide spout accepting all types of glasses
Height of the spout : 135mm (5")



Removable drip tray

Articulated lever

Stainless steel deflector
protects from any juice
ejection

Special clutch system
when you press
Instant start and stop

Heavy duty and quiet
asynchronous motor
High speed

Chromed or painted (grey)
motor base



Juicer With Lever #10

Easy to use - Easy to clean - Completely safe



www.santos.fr

The unique juicer that you can clean quickly and easily, just wash the removable perforated strainer in a simple movement. (NSF approved)

One Removable perforated strainer with centrifugal action and maximum filtration of pulp. Stainless steel 18/10



Technical specifications

Motor


Single phase : 100-120V - 50/60 Hz - 260 W - UL, NSF, CE
220-240V - 50/60 Hz - 230 W - GS, CE

Speed : 1500 rpm (50 Hz)
1800 rpm (60 Hz)


Weight

Net 9.5 Kg
Packed 10.3 Kg

Appliance :



Shipping box :



Safety - Standards - Hygiene

In accordance with the following regulations:

- ◆ Machinery directive 2006/42/EC
- ◆ Electromagnetic compatibility 2004/108/EC
- ◆ "Low voltage" directive 2006/95/EC
- ◆ RoHS directive 2002/95/EC
- ◆ Regulation 1935/2004/EC (contact with food)
- ◆ Harmonized European standards
EN 12100 - 1 and 2 : 2004 ; EN 60204 - 1 : 2006
EN 60335 - 1 : 2002 ; EN 60335-2-64 : 2004
- ◆ CE European standards, GS (Germany) controlled by LNE laboratory, UL (USA & Canada), NSF (USA)

Electrical safety

- On/Off interlock switch is waterproof
- All mechanical parts are ground (earth) connected
- All equipment is perfectly controlled after assembly (special electrical testing bay)

Thermal safety

Motor protected by internal thermal detector

Acoustic safety

The asynchronous motor with clutch system is particularly silent

Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved)

2 YEAR WARRANTY

Automatic Citrus Juicer With Lever # 10

