



Nuevos Conceptos

New Concepts

Nouveaux

Concepts

Neue Konzepte



EASI: Easy Access for Service & Installation



STIF: Strong Inox Frame




Silent Rain



Front Ventilation








ELECTRIC BOX

- -We have modified the electric box position to improve the access to the switches and electromechanics.
- -From now on, you only need to remove a few screws, pull up the top cover and reach into the box.






TILT DOOR

Stronger door

-We have created this new hinge door to obtain a better access to the storage bin and optimise isolation.

- -The door is made of stainless steel and hinges with 2 springs that make it easy to open and close your icemaker.
- -With the closed new hinge door, we slow down the ice melting process resulting in improved energy efficiency.






STORAGE BIN

- -Totally made by ITV on site , from the Die to the thermofolding of the plastic
- -Improved storage bin capacity.
- -The used materials are more robust and its resistance has been improved.

We increased the isolation thickness with 10% resulting in a melting cycle time down by 23%.

Higher capacity of storage







POSITION OF THE CONDENSER

-Always thinking of upgrading our machines, we have found out a new way to place the condenser.

-On all our new machine, the condenser will be placed on diagonal from the front grill.

-This way we will get a better refrigeration of the circuit because of the great air ventilation






Air circulation



COLLECT BIN



-New concept of the collect bin. This bin is part of the storage bin, the water drops directly form the evaporator into this bin.

- -This bin has been created to avoid any water leak problems if the drainage blocks.
- -The water of the bin will directly fall into the storage bin .
- -No electrical or mechanical pieces will be in contact with the water.




PUMP SYSTEM

-We have changed all the production concept for the pump.

-The pump is now incorporated into its bin by a Door.

- -Removing the pump is very easy.
- -Evacuation bin is much higher to prevent any reflow of the water and leak from the back .
- -New filter placed into the pump bin to prevent any impurities of the water to pass through.





- The water spray system, made with smooth semi elastic spray nozzles slow down the minerals deposit and make it easy to clean the water spray assembly.
- Just 'squeeze' the nozzle to eliminate any obstruction.

