



www.santos.fr

## Drink Mixer n° 54 Electric shaker



Shaker provided with 2 bowls (0.675 L / 24 fl oz)  
and 3 removable agitators (tools) :

- 1 stainless steel bowl
- 1 plastic bowl
- 1 universal spherical agitator for all beverages
- 1 rubber agitator for creamy beverages
- 1 winged deep agitator for frozen coffee

Internationally patented models



# Drink mixer # 54

This commercial shaker is a long lasting equipment for professional users with:

- A heavy duty and silent motor.
- An original and ergonomic speed button (from 8000 to 16000 rpm)

The ideal equipment for cocktail bars, hotels, restaurants, fast food, ice cream shops to make milk shakes, cappuccino cream, smoothies, cocktails, ice cream drinks...



## A choice of 5 colors



Black  
54



Grey  
54G



Blue  
54B



Yellow  
54J




Red  
54R



Easy and safe for your convenience

www.santos.fr

- Automatic motor activation with bowl detection.
- Easy removable agitators ( tools ) by simple screwing/unscrewing on the spindle.
- Bowls directly washable in the dishwasher (and stackable) without any risk of damage.



### Accessories



## Caractéristiques techniques

<b>Motor</b>	Universal Single phase	110-120V - 50/60 Hz - 230 W - NSF, UL, CE	
	Variable Speed	8000 to 16000 rpm (60 Hz) 8000 to 16000 rpm (50 Hz)	
<b>Weight</b>	Net weight	6 Kg (13.5 lbs)	
	Packed	7 Kg (15.5 lbs)	
<b>Dimensions</b>	Appliance	530 mm (20")	
	Width	182 mm (7.5")	
	Depth	186 mm (7.5")	

## Safety - Standards - Hygiene

In accordance with the following regulations:

- ◆ Machinery directive 2006/42/EC
- ◆ Electromagnetic compatibility 2004/108/EC
- ◆ low voltage directive 2006/95/EC
- ◆ RoHS directive 2002/95/EC
- ◆ European standard (CE)  
EN ISO 12100-1 and 2 : 2004 - EN 60204-1 : 2006
- ◆ CE European standard
- ◆ GS (Germany) Controlled by LNE laboratory.
- ◆ NSF (USA)
- ◆ UL (Canada - USA)
- ◆ Regulation 1935/2004/EC (contact with food)

### Electrical safety

All mechanical parts are ground (earth) connected  
All equipment is perfectly controlled after assembly (special electrical testing bay).  
Overload safety.

### Thermal safety

Motor protected by internal thermal detector and thermally disconnected from the body to protect user against heat.

### Acoustic safety

The universal motor is particularly silent.

### Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

PRODUCT : 2-YEAR WARRANTY - MOTOR : 5-YEAR WARRANTY

